







Modulate[™] Curved 824

MOD-C-824

Modulate[™] consists of a set of frames made from aluminium tubes (Ø30 mm) covered with a printed tension fabric graphic. These frames can be connected together using powerful magnets inside each frame. Modulate range is available in 11 different sized

- Thanks to the exclusive **MagLink** magnetic system built into the structure, you can connect the frames by simply touching them together.
- With the **Twist & Lock** system, simply position the foot under the structure, turn it and it's locked!
- The graphics are very easy to maintain thanks to the crease-resistant and machine washable textile cover. Stretch fabric with zip system.



360° MagLink connector in each pole. 4 magnets per structure



400 mm extension included



Self-locking system with bungee poles and push-buttons



Simple assembly with numbered frame parts



Central reinforcement tube (Ø 18 mm)



2 stabilising feet with Twist & Lock supplied with each frame




Double-sided tension fabric. Zip system



Modulate[™] carry bag with dedicated compartments for the feet and graphics

Structure informations :	
Item	Modulate Curved 824
Code	MOD-C-824
Structure dimensions	948 (w) x 2400 (h) x 372 (d) mm
Graphic visual area	895 (w) x 2382 (h) mm
Boxed dimensions (2 boxes)	1000 (w) x 245 (h) x 125 (d) + 460 (w) x 65 (h) x 65 (d) mm
Structure weight	6.93 kg
Boxed weight (2 boxes)	7.27 kg





OPTIONAL ELEMENTS:



Modulate half feet (pair) MOD-HALF-FOOT-P 218 (w) x 6 (h) x 80 (d) mm



Spot LED Flood LED-FLOOD-ARM-BDLK




Spot LED Strip LED-STRIP-ARM-BDLK



Fixing for 30mm Ø tubing

MIX & MATCH THE 11 MODULATE FRAMES:



MOD-S-420

MOD-S-424

MOD-S-810

MOD-S-820

MOD-S-824

MOD-C-820 MOD-C-824

MOD-SS-824-02

MOD-S-1820

Straight 1824 MOD-S-1824

Modulate[™] Curved 824












ELEMENTS



Radius Top Corner Sections













ASSEMBLY







CONNECTING MULTIPLE FRAMES

Remove one foot from second frame and align both frames on one foot Turn Push in MagLink inside the tube