


Modulate 820 and 824 (Curved)


Aug 2018



PARTS (NOT TO SCALE)

820 Curved

Vertical Pole Sections



Support Pole



Top Pole Section




Radius Top Corner Sections



Bottom Pole Section




Feet



Gloves



Optional Half Feet



NOT SUPPLIED WITH KIT AND THEY ARE SOLD SEPARATELY



824 Curved

Extension poles (x2)




NOTE: The extension poles are used 824 Curved frames

1





2



Modulate 820 and 824 (Curved)

Aug 2018





NOTE: Sticker on base of foot shows the directions for locking/unlocking foot








OPTIONAL (EXTENSION KIT)

NOTE: EXTENSION SECTION SUPPLIED WITH 824 CURVED FRAME



OPTIONAL (HALF FEET)

OPTION 1 NOTE: HALF FEET CAN BE POSITIONED ONTO THE FRAME TWO DIFFERENT WAYS








Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot

Modulate 820 and 824 (Curved)

Aug 2018



OPTION 2



Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot







CONNECTING MULTIPLE FRAMES

NOTE: SECOND FRAME (820 STRAIGHT NOT INCLUDED)

Remove one foot from second frame and align both frames on one foot

NOTE: FOLLOW OPTION 2 FOR HALF FEET TO CONNECT TWO FRAMES ON ONE FOOT



824 Curved Frame and 820 Straight Frame