TEX

<image>

Strong and stylish finish counter built-in from modular Vector profiles system. Available in custom sizes. Manufacture to order.

Recommended accessories:

V1

# **Product Features**

- Frame made from 50mm aluminum Vector extrusion
- Rounded corners for maximum graphic coverage
- Thermoformed top and shelf included
- Table top is a single unit
- Silicone Edged Gasket (SEG) Dye-sublimated fabric graphic
- Optional carry bags available and sold separately
- Manufacture to order
- Simple push-fit assembly with easy to follow numbering system

# **Custom Features**

- Tabletop and internal shelf available in four colours :
- Available in custom sizes



Easy to follow numbered sections





• Visible dimensions : 1000 (h) x 2300 (w) mm

The graphic templates made available are provided for information only. They take into account internal processes which may vary depending on your print facilities, choice of material & finishing techniques. If you are printing the graphics, is your responsibility to test the compatibility of your media with the product before use.



Carry bags for shelf and tabletop AB916



Carry bag kit for counter AB120AC-KIT



#### Structure Information

Product Code	Product Name	Assembled dimensions including shelf (mm)	Total Weight	Dimensions colis (mm) h x l x p	Poids colis
VCCB	Vector Counter Curved (Frame, top and shelf)	1015 (h) x 1340 (w) x 540 (d)	18.4 kg	Structure : 1300 x 300 x 200 Tablette + étagère : 135 x 600 x 150	12,80 kg 9,40 kg

Follow the simple marking and coding system to assemble the counter



To assemble a cross member and a profile or 2 profiles together, use the Allen key and make a quarter turn.

**Frame Components** 



**Technical Specification** 

#### **Attaching the Shelf**





**Screwless Attachment**: Simply place the shelf on top of the two reinforcements. The shape of the frame and design of the shelf is sufficient to maintain the load.

**Technical Specification** 

We work every day to bring you the best solutions and offer you innovative and quality products. This means we may make changes to our newly developed products. Dimensions are given for information only.

#### Attaching the Top





1/ Place the top on the assembled counter and adjust so that the holes are in line with the FX866 threaded inserts (already inserted in the shelf). 2/ Once the top is in place, fix the structure to the tray with the **FX860** screws.



Threaded Insert FX866

7 X

Screw FX866

V1

#### **Graphic Assembly**

### Large Format Graphic Printed

The printed graphics have a Silicone Edged Gasket (SEG) which makes their installation simple and quick.

Start by installing the 4 corners of the graphic, then insert the gasket into the middle of each side.

Then, work the gasket from the middle out to the corners, starting from the bottom.

